

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6510352".pn. and compil\$5	USPAT	OR	OFF	2006/12/05 08:42
S1	2	"6047284".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 10:31
S2	1111	(type or typecast) and compil\$5 same (valid or verify or verification or check\$3) and legal\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 13:30
S3	1111	(type or typecast) and compil\$5 same (valid or verify or verification or check\$3) and legal\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 15:09
S4	42	(type or typecast) and compil\$5 same (valid or verify or verification or check\$3) and legal\$3 near3 (type or typecast) and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 13:31
S5	1	717/140.ccls. and (type or typecast) and compil\$5 same (valid or verify or verification or check\$3) and legal\$3 near3 (type or typecast) and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 13:42
S6	147	717/140.ccls. and (type or typecast) and compil\$5 same (valid or verify or verification or check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 13:32
S7	6	717/140.ccls. and (type or typecast) and compil\$5 same (valid or verify or verification or check\$3) and ("no" or "without" or "not") near3 (allocat\$3 or preallocat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 13:40
S8	624	(lazy or deferred or late) near2 (load\$3 or bind\$3) and type and value and (get\$4 or set\$4 or "get()") or "set()")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 13:44
S9	9	(lazy or deferred or late) near2 (load\$3 or bind\$3) and type and value and (get\$4 or set\$4 or "get()") or "set()") and 717/140.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:00

EAST Search History

S10	12	class same "type description" same "data structure" and (referenc\$3 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:35
S11	127	(linked adj list\$3) same (dynamic\$4 near2 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 15:30
S12	39	(linked adj list\$3) same (dynamic\$4 near2 memory) and (class or object) same (typ\$3 or typecast\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 15:31
S13	39	(linked adj list\$3) same (dynamic\$4 near2 memory) and (class or object) same (typ\$3 or typecast\$3) and (method or function or operation or call\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 15:31
S14	7	(linked adj list\$3) same (dynamic\$4 near2 memory) and (class or object) same (typ\$3 or typecast\$3) and (method or function or operation or call\$3) and compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 15:54
S15	302	((linked adj list\$3) or table or hash\$3 or structure) same ((dynamic\$4 near2 memory) or malloc or realloc) and (class or object) same (typ\$3 or typecast\$3 or datatype) and (method or function or operation or call\$3) and compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 15:56
S16	63	((linked adj list\$3) or table or hash\$3 or structure) same ((dynamic\$4 near2 memory) or malloc or realloc) and (class or object) same (typ\$3 or typecast\$3 or datatype) same (method or function or operation or call\$3) same compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 16:14
S17	63	S16 not S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 15:58
S18	0	S16 not S14 and tcl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 15:59

EAST Search History

S19	32	halstead.in. and value and option	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 16:00
S20	14	("4799172" "5208906" "5649216" "5721848" "5796401" "6057842" "6125385" "6181838").PN. OR ("6356279").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/09 16:14
S21	1334	((linked adj list\$3) or table or hash\$3 or structure) same ("type description")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 16:15
S22	8	((linked adj list\$3) or table or hash\$3 or structure) same ("type description") and ((compil\$5 near3 (method or function or procedure or operation or call\$3)) near5 (value or field))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 16:18
S23	18	("20010005886" "5093914" "5652879" "5706505" "5732271" "5740440" "5790857" "5911076" "5915253" "5924098" "5943496" "5960197" "6119157" "6199157" "6223342" "6305012" "6356279"). PN. OR ("6769001").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/09 16:47
S24	1232	(referenc\$2 or pointer or map\$4) near5 ("data structure" or list or "linked-list" or hash or table or database) near5 ((type or datatype or typecast or description) and (value or attribute or field))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/09 16:50
S25	1232	((referenc\$2 or pointer or map\$4) near5 ("data structure" or list or "linked-list" or hash or table or database)) near5 ((type or datatype or typecast or description) and (value or attribute or field))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/09 16:50
S26	1232	((referenc\$2 or pointer or map\$4) near5 ("data structure" or list or "linked-list" or hash or table or database)) near5 ((type or datatype or typecast or description) and (value or attribute or field))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 14:43
S27	491	((referenc\$2 or pointer or map\$4) near3 ("data structure" or list or "linked-list" or hash or table or database)) near3 ((type or datatype or typecast or description) and (value or attribute or field))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/09 16:51

EAST Search History

S29	81	((referenc\$2 or pointer or map\$4) near3 ("data structure" or list or "linked-list" or hash or table or database)) near3 ((type or datatype or typecast or description) and (value or attribute or field)) and ((dynamic\$4 near2 allocat\$3) or malloc or ((sav\$3 or minimiz\$5 or minimal\$2) near3 memory))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 14:41
S30	7551	((referenc\$2 or pointer or map\$4) near3 ("data structure" or list or "linked-list" or hash or table or database)) and (type or datatype or typecast or description) and (value or attribute or field or property or properties) same ("getter" or "setter" or "get()" or "set()") and ((dynamic\$4 near2 allocat\$3) or malloc or ((sav\$3 or minimiz\$5 or minimal\$2) near3 memory))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 07:37
S31	1988	((referenc\$2 or pointer or map\$4 or associat\$3) near3 ("data structure" or list or "linked-list" or hash or table or database)) same (type or datatype or typecast or description) and ((value or attribute or field or property or properties) same ("getter" or "setter" or "get()" or "set()")) and ((dynamic\$4 near2 allocat\$3) or malloc or ((sav\$3 or minimiz\$5 or minimal\$2) near3 memory))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 07:38
S32	282	((referenc\$2 or pointer or map\$4 or associat\$3) near3 ("data structure" or list or "linked-list" or hash or table or database)) same (type or datatype or typecast or description) and ((value or attribute or field or property or properties) same ("getter" or "setter" or "get()" or "set()")) and ((dynamic\$4 near2 allocat\$3) or malloc or ((sav\$3 or minimiz\$5 or minimal\$2) near3 memory)) and (defin\$3 near3 class)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 07:38

EAST Search History

S33	205	((referenc\$2 or pointer or map\$4 or associat\$3) near3 ("data structure" or list or "linked-list" or hash or table or database)) same (type or datatype or typecast or description) and ((value or attribute or field or property or properties) same ("getter" or "setter" or "get()" or "set()")) and ((dynamic\$4 near2 allocat\$3) or malloc or ((sav\$3 or minimiz\$5 or minimal\$2) near3 memory)) and (defin\$3 near3 class) and compil\$5	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 10:01
S34	35	((referenc\$2 or pointer or map\$4 or associat\$3) near3 ("data structure" or list or "linked-list" or hash or table or database)) same (type or datatype or typecast or description) same ((value or attribute or field or property or properties) same ("getter" or "setter" or "get()" or "set()")) and ((dynamic\$4 near2 allocat\$3) or malloc or ((sav\$3 or minimiz\$5 or minimal\$2) near3 memory)) and (defin\$3 near3 class) and compil\$5	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 12:26
S35	2	((referenc\$2 or pointer or map\$4 or associat\$3) near3 ("data structure" or list or "linked-list" or hash or table or database)) same (type or datatype or typecast or description) and ((value or attribute or field or property or properties) same ("getter" or "setter" or "get()" or "set()")) and ((dynamic\$4 near2 allocat\$3) or malloc or ((sav\$3 or minimiz\$5 or minimal\$2) near3 memory)) and ((defin\$3 near3 class) same template same option\$4) and compil\$5	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 10:00
S36	127	((referenc\$2 or pointer or map\$4 or associat\$3) near3 ("data structure" or list or "linked-list" or hash or table or database)) same (type or datatype or typecast or description) and ((value or attribute or field or property or properties) same ("getter" or "setter" or "get()" or "set()")) and ((dynamic\$4 near2 allocat\$3) or malloc or ((sav\$3 or minimiz\$5 or minimal\$2) near3 memory)) and (defin\$3 near3 class) and compil\$5 and option\$4 near5 (widget or button or bar or list or menu)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 12:25

EAST Search History

S37	281	("data structure" or list or "linked-list" or hash or table or database) same (type or datatype or typecast or description) and ((value or attribute or field or property or properties) same ("getter" or "setter" or "get()" or "set()")) and ((dynamic\$4 near2 allocat\$3) or malloc or ((sav\$3 or minimiz\$5 or minimal\$2) near3 memory)) and (defin\$3 near3 (object or class)) and compil\$5 and option\$4 near5 (widget or button or bar or list or menu))	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 14:44
S38	267	("data structure" or list or "linked-list" or hash or table or database) same (type or datatype or typecast or description) and ((value or attribute or field or property or properties) same ("getter" or "setter" or "get()" or "set()")) and ((dynamic\$4 near2 allocat\$3) or malloc or ((sav\$3 or minimiz\$5 or minimal\$2) near3 memory)) and (defin\$3 near3 (object or class)) and compil\$5 and (option\$4 near3 (widget or button or bar or list or menu))	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 10:04
S39	0	("data structure" or list or "linked-list" or hash or table or database) same (type or datatype or typecast or description) and ((value or attribute or field or property or properties) same ("getter" or "setter" or "get()" or "set()")) and ((dynamic\$4 near2 allocat\$3) or malloc or ((sav\$3 or minimiz\$5 or minimal\$2) near3 memory)) and (defin\$3 near3 (object or class)) same compil\$5 same (option\$4 near3 (widget or button or bar or list or menu))	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 10:05
S40	28	("data structure" or list or "linked-list" or hash or table or database) same (type or datatype or typecast or description) and ((value or attribute or field or property or properties) same ("getter" or "setter" or "get()" or "set()")) and ((dynamic\$4 near2 allocat\$3) or malloc or ((sav\$3 or minimiz\$5 or minimal\$2) near3 memory)) and (defin\$3 near3 (object or class)) and compil\$5 same (option\$4 near3 (widget or button or bar or list or menu))	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 10:05

EAST Search History

S41	19	("5325533" "5519866" "5557730" "5574918" "5758160" "6061515" "6078739" "6167564" "6314555" "6321374" "6334158" "6370681"). PN. OR ("6487713").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 11:01
S42	50	("data structure" or list or "linked-list" or hash or table or database) same (type or datatype or typecast or description) and ((value or attribute or field or property or properties) same ("getter" or "setter" or "get()" or "set()")) and ((dynamic\$4 near2 allocat\$3) or malloc or ((sav\$3 or minimiz\$5 or minimal\$2) near3 memory)) and (defin\$3 near3 (object or class)) and compil\$5 and option\$4 near5 (widget or button or bar or list or menu) and ("type-checking" or (type adj check\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 14:42
S43	0	("data structure" or list or "linked-list" or hash or table or database) same (type or datatype or typecast or description) and ((value or attribute or field or property or properties) same ("getter" or "setter" or "get()" or "set()")) and ((dynamic\$4 near2 allocat\$3) or malloc or ((sav\$3 or minimiz\$5 or minimal\$2) near3 memory)) and (defin\$3 near3 (object or class)) and compil\$5 and option\$4 near5 (widget or button or bar or list or menu) and ("type-checking" or (type adj check\$3)) and "6487713". pn. and compil\$5	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 11:08
S44	1	("data structure" or list or "linked-list" or hash or table or database) same (type or datatype or typecast or description) and ((value or attribute or field or property or properties) same ("getter" or "setter" or "get()" or "set()")) and ((dynamic\$4 near2 allocat\$3) or malloc or ((sav\$3 or minimiz\$5 or minimal\$2) near3 memory)) and (defin\$3 near3 (object or class)) and compil\$5 and option\$4 near5 (widget or button or bar or list or menu) and "6487713".pn. and compil\$5	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 11:08

EAST Search History

S45	49	((referenc\$2 or pointer or map\$4) near3 ("data structure" or list or "linked-list" or hash or table or database)) near3 ((type or datatype or typecast or description) and (value or attribute or field)) and ((dynamic\$4 near2 allocat\$3) or malloc)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 12:28
S46	0	"6842906".pn. and deferred adj loading and "save on memory" and "copy constructors" and "dynamically allocated"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 12:30
S47	0	"6842906".pn. and deferred and "save on memory" and "copy constructors" and "dynamically allocated"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 12:30
S48	0	"6842906".pn. and "save on memory" and "copy constructors" and "dynamically allocated"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 12:30
S49	1	"6842906".pn. and lazy and memory and type and value and (dynamically adj allocat\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 12:32
S50	1	"6842906".pn. and lazy and memory and type and value and (dynamically adj allocat\$3) and compil\$5	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 14:05
S51	0	"6487713".pn. and ((referenc\$2 or pointer or map\$4) near3 ("data structure" or list or "linked-list" or hash or table or database)) near3 ((type or datatype or typecast or description) and (value or attribute or field)) and ((dynamic\$4 near2 allocat\$3) or malloc or ((sav\$3 or minimiz\$5 or minimal\$2) near3 memory))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 14:42
S52	0	"6487713".pn. and ((referenc\$2 or pointer or map\$4) near3 ("data structure" or list or "linked-list" or hash or table or database)) near3 ((type or datatype or typecast or description) and (value or attribute or field)) and ((dynamic\$4 near2 allocat\$3) or malloc or ((sav\$3 or minimiz\$5 or minimal\$2) near3 memory))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 14:42

EAST Search History

S53	0	("data structure" or list or "linked-list" or hash or table or database) same (type or datatype or typecast or description) and ((value or attribute or field or property or properties) same ("getter" or "setter" or "get()" or "set()")) and ((dynamic\$4 near2 allocat\$3) or malloc or ((sav\$3 or minimiz\$5 or minimal\$2) near3 memory)) and (defin\$3 near3 (object or class)) and compil\$5 and option\$4 near5 (widget or button or bar or list or menu) and ("type-checking" or (type adj check\$3))and "6487713".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 14:43
S54	0	"6487713".pn. and ((referenc\$2 or pointer or map\$4) near5 ("data structure" or list or "linked-list" or hash or table or database)) near5 ((type or datatype or typecast or description) and (value or attribute or field))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 14:43
S55	1	"6487713".pn. and ("data structure" or list or "linked-list" or hash or table or database) same (type or datatype or typecast or description) and ((value or attribute or field or property or properties) same ("getter" or "setter" or "get()" or "set()")) and ((dynamic\$4 near2 allocat\$3) or malloc or ((sav\$3 or minimiz\$5 or minimal\$2) near3 memory)) and (defin\$3 near3 (object or class)) and compil\$5 and option\$4 near5 (widget or button or bar or list or menu)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 15:13
S56	1	"6487713".pn. and ("data structure" or list or "linked-list" or hash or table or database) same (type or datatype or typecast or description) and ((value or attribute or field or property or properties) same ("getter" or "setter" or "get()" or "set()")) and ((dynamic\$4 near2 allocat\$3) or malloc or ((sav\$3 or minimiz\$5 or minimal\$2) near3 memory)) and (defin\$3 near3 (object or class)) and compil\$5 and option\$4 near5 (widget or button or bar or list or menu)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 14:44
S57	0	compil\$5 near3 (get\$3 adj (function or method or procedure)) same (type adj (description or check\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 15:16

EAST Search History

S58	1	compil\$5 same (get\$3 adj (function or method or procedure)) same (type adj (description or check\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 15:17
S59	10	compil\$5 same ((get\$3 or set\$3) adj (function or method or procedure)) same (type adj (description or check\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 15:22
S60	47	compil\$5 same ((get\$3 or set\$3) adj (function or method or procedure)) and (type adj (description or check\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 15:22
S61	37	S60 not S59	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 15:23
S62	6	("6349343").URPN.	USPAT	OR	OFF	2006/03/14 15:50
S63	1	("6349343").pN.	USPAT	OR	OFF	2006/03/14 16:20
S64	10	(widget or scrollbar) near5 (selection or option\$4) same type	USPAT	OR	OFF	2006/03/14 16:21
S65	19	class near3 option\$4 same (referenc\$3 or point\$3) near3 (option\$4 or undeclared or possibil\$3 or unused or select\$4) and allocat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 13:14
S66	10	("dynamic binding" or "late binding") same memory and (type same compil\$5 same (class or instance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 13:07
S67	15	("dynamic binding" or "late binding" or rtti or ((runtime or "run time") adj "type information") same memory and (type same compil\$5 same (class or instance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 13:09
S68	5	S67 not S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 15:25
S69	2	"6032152".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 15:25
S70	8	("6032152").URPN.	USPAT	OR	OFF	2006/12/04 15:36
S71	770	class same constructor and option\$4	USPAT	OR	OFF	2006/12/04 15:37
S72	18	class same constructor and option\$4 same (memory near3 allocat\$3)	USPAT	OR	OFF	2006/12/04 15:38

EAST Search History

S73	1	class same constructor and option\$4 same (memory near3 allocat\$3) same (minim\$4 or small\$2 or less or reduc\$3 or sav\$3)	USPAT	OR	OFF	2006/12/04 15:39
S74	2	class same constructor and option\$4 same (memory near3 allocat\$3) same type	USPAT	OR	OFF	2006/12/04 16:44
S75	1	"5999948".pn.	USPAT	OR	OFF	2006/12/05 08:42